

High Sales Plus
between -23°C and $+8^{\circ}\text{C}$

Multinor



What do you need Multinor for?

For specials, standing offers, or just to boost sales? **We recommend: for everything.**



Whether it be prepacked meat, dairy products or frozen food, whether convenience, promotions or standing offers: Multinor is deployed as chiller island or as switchable chiller/freezer island for all applications.

Here are many new options for your product range.

The island is ideal for cross-selling schemes: Whether you want to offer asparagus together with ham or cream alongside strawberries – Multinor is always there for impulse offers. The all-round talent for all occasions.

Cross-selling schemes

- Asparagus/ham
- Grilled meat/beer
- Strawberries/cream
- Salads/dips

Benefits are standard. From all sides.

Multinor, being an island, can be accessed by your customers from all sides – and offers many advantages accordingly. Excellent view of merchandise, design with stress on presentation, and especially easy taking of products.

The outer and inner values:

merchandise easy to replenish and withdraw thanks to the ergonomic glass concept

display compartment partitioned by height-adjustable racks

optionally available as chiller island or switchable chiller/freezer island

modern, attractive design

high flexibility in colour scheme, inside and out

various lengths

electronic control with temperature display

price marking on bumper rail, outside, readily visible

temperature-assured refrigeration in accordance with DIN EN ISO 23953-2

readily visible temperature display (optional)

space all round for highlighting brand and store design

low energy consumption

automatic defrosting and drip water evaporation



Between 500 kWh and 1,100 kWh* a year saved. And that is just part of the equation.

The new Multinor has been designed with many further developments and optimizations: refrigeration-wise and sales-wise. The new control electronics makes Multinor especially economical. Also, the cold is retained very efficiently in the merchandiser by a new body, reducing energy consumption by several hundred kWh a year.

And to make the account complete: In parallel with the falling costs, you will find that the new design and high flexibility in deployment create a new dimension in sales.



* In accordance with DIN EN ISO 23953-2; climate class 3


Energy costs slashed, temperature-assured refrigeration enhanced

The control electronics is an economical energy manager. The cold remains in the merchandisers, and the money in the store balance sheet. The temperature-assured refrigeration, too, is unequalled in this class thanks to the control electronics and the optimized air flow.




Noise development reduced

Optimized compressors and ventilators significantly reduce the noise levels.




Design optimized

Attractive modern design. Wherever you install Multinor, it will ensure optimal presentation of merchandise with or without sliding cover.



Flexibility maximized

Since not all customers have the same requirements, Multinor comes in two basic designs; as chiller island and as switchable chiller/freezer island for refrigerated products and frozen food. Also, there are four lengths available. The extensive accessories (see page 10/11) enable you to adapt Multinor to any situation in the store: to suit a given site or assortment of goods.



Which Multinor for whom?

Versions and applications.



Multinor 10 with castors



Multinor 15 with standard endwall and display frame

Multinor is a multi-talent – as the name says. Which is why we don't identify any particular focuses. Multinor is a universal and special match for all selling tasks and generates many selling opportunities.

If you are offering mainly fresh products, convenience articles and prepacked meat, we recommend Multinor ..30/40 for the chiller range.

For frozen foods and changing offers we have the Multinor ..40/80. Here, you can select chiller or freezer function.

In Multinor it is always high season: for each product range, for impulse buying and for your revenue. High season for any setting in the dimensions: 100 x 105 cm, 100 x 150 cm, 100 x 200 cm and 100 x 250 cm. For enabling you to integrate Multinor in particular visually perfectly into your store, we offer you several versions with different endwalls.



Multinor 20 with decorative endwall and lighting



Multinor 25 with standard endwall for optimal merchandising

On the topside it's all open: the accessories, too.

The many options are a big plus in the freezer range as well

- Attention grabber by light. Turn the spot on your product ranges.
- Here today – there tomorrow. With the optional fork lift guide Multinor becomes a travelling salesman in the store.
- Endwall in either plastics or sheet metal. Multinor will suit your special needs.
- The display head can be installed to capture customer attention.



Scanner rail 40 mm/60 mm



Lighting (as of 09.2008)



Temperature display




Leveller feet, high/fork lift guide



Rollers/castors



Display frame




Bumper rails



Rack cover



Night cover



Sliding cover




Decorated endwall



Wire divider/display racks



Stepped racks



* Cooling for dairy products without sliding cover
Cooling for mince meat/meat with glass cover

** Cooling for meat without glass cover
Freezing with glass cover

*** Freezing

Technical data

Multinor									
Merchandise type		1040/80	1530	1540	1540/80	2030	2040	2040/80	2540
Length incl. bumper rail	(mm)	1010	1510	1510	1510	2010	2010	2010	2510
Display shelf area	(m ²)	0.64	1.03	1.03	1.03	1.41	1.41	1.41	1.79
Max. volume, Cooling	(l)	150	268	242	242	366	331	331	421
Max. volume, Freezing	(l)	138			220			302	
Temperature range Cooling	(°C)	+2...+8	+2...+8	0...+2	0...+2	+2...+8	0...+2	0...+2	0...+2
Temperature range Freezing	(°C)	-18...-23			-18...-23			-18...-23	
Ambient conditions		25°C/60% rel. hum.							
Operating voltage	(V, Hz, Ph)	230, 50, 1~							
Fusing, slow	(A)	13							
Refrigerant		R404A							

Multinor							
Merchandise type		1560G	1560/80G	2060G	2060/80G	2550G	2550/80G
Length incl. bumper rail	(mm)	1510	1510	2010	2010	2510	2510
Display shelf area	(m ²)	1.03	1.03	1.14	1.41	1.79	1.79
Max. volume, Cooling	(l)	268	268	366	366	465	465
Max. volume, Freezing	(l)		242		331		421
Temperature range Cooling	(°C)	-2...0	-2...0	-2...0	-2...0	-1...+1	-1...+1
Temperature range Freezing	(°C)		-18...-23		-18...-23		-18...-23
Ambient conditions		25°C/60% rel. hum.					
Operating voltage	(V, Hz, Ph)	230, 50, 1~					
Fusing, slow	(A)	13					
Refrigerant		R404A					

Multinor. The new island in our successful merchandiser series.

Design for good business

Merchandisers with new shop design give each store a clear line and appealing highlights. They present product ranges safely and attractively. They make optimal use of the available space. They can be colour customized to suit each individual store concept and product line, and combined.

Giving you flexibility. The various extras challenge you to exploit every option in selling.

Best conditions for good business.



FB-356-GB-0508

Contact:

compact.line@linde-kt.de · compact.line@carrier.utc.com

